

<p style="text-align: center;"><b>Monsanto Canada</b> Safety Data Sheet Commercial Product</p>
--

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name**

**R/T 540 Liquid Herbicide**

**PCP Reg. No.**

28487

**Product use**

Herbicide

**Chemical name**

Not applicable.

**Synonyms**

None.

**Company**

Monsanto Canada, 900 - One Research Road, Winnipeg, MB, R3T 6E3

**Telephone:** 204-985-1000 or 800-667-4944 **Fax:** 204-488-9599

**E-mail:** safety.datasheet@monsanto.com

**Emergency numbers**

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT Call CANUTEC - Day or Night: 613-996-6666 (collect calls accepted) or MONSANTO: 314-694-4000 (collect calls accepted).

FOR MEDICAL EMERGENCY - Day or Night: +1 (314) 694-4000 (collect calls accepted).

---

## 2. HAZARDS IDENTIFICATION

**Emergency overview**

**Appearance and odour (colour/form/odour):** Amber - Brown / Liquid / Odourless

CAUTION!

POISON

HARMFUL IF SWALLOWED

HARMFUL IF INHALED

CAUSES SKIN IRRITATION

CAUSES EYE IRRITATION

**Potential health effects**

**Likely routes of exposure**

Skin contact, eye contact

**Eye contact, short term**

May cause temporary eye irritation.

**Skin contact, short term**

Irritating to skin.

**Inhalation, short term**

Harmful by inhalation.

**Single ingestion**

Harmful if swallowed.

Refer to section 11 for toxicological and section 12 for environmental information.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Active ingredient**

Potassium salt of N-(phosphonomethyl)glycine; {Potassium salt of glyphosate}

**Composition**

COMPONENT	CAS No.	% by weight (approximate)
Potassium salt of glyphosate	70901-12-1	49
Other ingredients		51

The specific chemical identity is being withheld because it is trade secret information of Monsanto Company.

---

**4. FIRST AID MEASURES**

Use personal protection recommended in section 8.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**Eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**Skin contact**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Inhalation**

If inhaled, move person to fresh air. If person is not breathing, call emergency number or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

**Ingestion**

Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**Advice to doctors**

This product is not an inhibitor of cholinesterase.

**Antidote**

Treatment with atropine and oximes is not indicated.

---

**5. FIRE-FIGHTING MEASURES**

**Flash point**

Does not flash.

**Extinguishing media**

Recommended: Water, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

**Unusual fire and explosion hazards**

Minimise use of water to prevent environmental contamination.

Environmental precautions: see section 6.

**Hazardous products of combustion**

Carbon monoxide (CO), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), nitrogen oxides (NO<sub>x</sub>)

### Fire fighting equipment

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Environmental precautions

#### SMALL QUANTITIES:

Low environmental hazard.

#### LARGE QUANTITIES:

Minimise spread.

Keep out of drains, sewers, ditches and water ways.

### Methods for cleaning up

Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush residues with small quantities of water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## 7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

### Handling

Avoid contact with eyes, skin and clothing.

Avoid breathing vapour or mist.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling or contact.

Thoroughly clean equipment after use.

Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.

Emptied containers retain vapour and product residue.

**FOLLOW LABELLED WARNINGS EVEN AFTER CONTAINER IS EMPTIED.**

### Storage

Compatible materials for storage: stainless steel, aluminium, fibreglass, plastic, glass lining

Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Airborne exposure limits

Components	Exposure Guidelines
Potassium salt of glyphosate	No specific occupational exposure limit has been established.
Other ingredients	No specific occupational exposure limit has been established.

### Engineering controls

No special requirement when used as recommended.

### Eye protection

If there is significant potential for contact:  
Wear chemical goggles.  
Applicators and other handlers must wear eye protection.

### Skin protection

Wear chemical resistant gloves.  
Applicators and other handlers must wear:  
Wear long sleeved shirt, long pants and shoes with socks.  
If there is significant potential for contact:  
Wear face shield.  
Wear chemical resistant clothing/footwear.  
Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment.  
If no such instructions for washables, use detergent and hot water.  
Keep and wash personal protective equipment separately from other laundry.

### Respiratory protection

No special requirement when used as recommended.  
If airborne exposure is excessive:  
Wear full facepiece/hood/helmet respirator.  
Respiratory protection programs must comply with all local/regional/national regulations.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Amber - Brown
Odour:	Odourless
Form:	Liquid
Physical form changes (melting, boiling, etc.):	
Melting point:	Not applicable.
Boiling point:	No data.
Flash point:	Does not flash.
Explosive properties:	No explosive properties
Auto ignition temperature:	No data.
Specific gravity:	1.3522 20 °C / 15.6 °C
Vapour pressure:	No significant volatility; aqueous solution.
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	No data.
Kinematic viscosity:	No data.
Density:	No data.
Solubility:	Water: Completely miscible.
pH:	4.8 67.7 g/l
Partition coefficient:	log Pow: -3.2 @ 25 °C (glyphosate)

---

## 10. STABILITY AND REACTIVITY

### Stability

Stable under normal conditions of handling and storage.

#### **Oxidizing properties**

none

#### **Materials to avoid/Reactivity**

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

#### **Hazardous decomposition**

Thermal decomposition: Hazardous products of combustion: see section 5.

#### **Self-accelerating decomposition temperature (SADT)**

No data.

---

## **11. TOXICOLOGICAL INFORMATION**

This section is intended for use by toxicologists and other health professionals.

Data obtained on similar products and on components are summarized below.

#### **Similar formulation**

##### **Acute oral toxicity**

**Rat, LD50:** > 5,000 mg/kg body weight  
Practically non-toxic.

##### **Acute dermal toxicity**

**Rat, LD50:** > 5,000 mg/kg body weight  
Practically non-toxic.

##### **Skin irritation**

**Rabbit, 3 animals, OECD 404 test:**  
Days to heal: 14  
Primary Irritation Index (PII): 2.2/8.0  
Moderate irritation.

##### **Eye irritation**

**Rabbit, 3 animals, OECD 405 test:**  
Days to heal: 10  
Moderate irritation.

##### **Acute inhalation toxicity**

**Rat, LC50, 4 hours, aerosol:** > 1.20 mg/L  
Slightly toxic. No mortality. For purposes of the inhalation test, product was artificially aerosolized. Since this material will not become aerosolized to a hazardous concentration during transport, it is classified as non-hazardous under the transportation regulations in accordance with 2.6.2.2.4.7(b) and (c) of the UN Recommendations on the Transport of Dangerous Goods.

##### **Skin sensitization**

**Guinea pig, 3-induction Buehler test:**  
Positive incidence: 0 %

#### **N-(phosphonomethyl)glycine; { glyphosate acid}**

##### **Genotoxicity**

Not genotoxic.

##### **Carcinogenicity**

Not carcinogenic in rats or mice.

### **Reproductive/Developmental Toxicity**

Developmental effects in rats and rabbits only in the presence of significant maternal toxicity.  
Reproductive effects in rats only in the presence of significant maternal toxicity.

---

## **12. ECOLOGICAL INFORMATION**

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on similar products and on components are summarized below.

### **Similar formulation**

#### **Aquatic toxicity, fish**

##### **Rainbow trout (*Oncorhynchus mykiss*):**

Acute toxicity, 96 hours, semi-static, LC50: 3.13 mg/L  
Moderately toxic.

#### **Aquatic toxicity, algae/aquatic plants**

##### **Green algae (*Selenastrum capricornutum*):**

Acute toxicity, 72 hours, static, EbC50 (biomass): 0.124 mg/L  
Highly toxic.

#### **Arthropod toxicity**

##### **Honey bee (*Apis mellifera*):**

Contact, 48 hours, LD50: > 250 µg/bee  
Practically non-toxic.

##### **Honey bee (*Apis mellifera*):**

Oral, 48 hours, LD50: > 238.8 µg/bee  
Practically non-toxic.

#### **Soil organism toxicity, invertebrates**

##### **Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC50: > 10,000 mg/kg dry soil  
Practically non-toxic.

#### **Soil organism toxicity, microorganisms**

##### **Nitrogen and carbon transformation test:**

40 L/ha, 28 days: Less than 25% effect on nitrogen or carbon transformation processes in soil.

### **Similar formulation**

#### **Aquatic toxicity, invertebrates**

##### **Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC50: 8.0 mg/L  
Moderately toxic.

#### **N-(phosphonomethyl)glycine; { glyphosate acid }**

#### **Avian toxicity**

##### **Bobwhite quail (*Colinus virginianus*):**

Acute oral toxicity, single dose, LD50: > 3,851 mg/kg body weight  
Practically non-toxic.

#### **Bioaccumulation**

##### **Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1  
No significant bioaccumulation is expected.

### **Dissipation**

#### **Soil, field:**

Half life: 2 - 174 days  
Koc: 884 - 60,000 L/kg  
Adsorbs strongly to soil.

#### **Water, aerobic:**

Half life: < 7 days

---

## **13. DISPOSAL CONSIDERATIONS**

### **Product**

Keep out of drains, sewers, ditches and water ways.  
Recycle if appropriate facilities/equipment available.  
Burn in proper incinerator.  
Follow all local/regional/national/international regulations.

### **Container**

See the individual container label for disposal information.  
Emptied containers retain vapour and product residue.  
Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.  
Empty packaging completely.  
Triple or pressure rinse empty containers.  
Do NOT contaminate water when disposing of rinse waters.  
Ensure packaging cannot be reused.  
Do NOT re-use containers.  
Store for collection by approved waste disposal service.  
Recycle if appropriate facilities/equipment available.  
Follow all local/regional/national/international regulations.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## **14. TRANSPORT INFORMATION**

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

---

## **15. REGULATORY INFORMATION**

---

## **16. OTHER INFORMATION**

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.  
Follow all local/regional/national/international regulations.  
Please consult supplier if further information is needed.  
In this document the British spelling was applied.

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary

Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), STOT SE (Specific Target Organ Toxicity, Single Exposure), STOT RE (Specific Target Organ Toxicity, Repeated Exposure), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE Pest Management Regulatory (PMRA)- APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by product labeling and provincial legislation, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the PMRA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.